

# **GVSO**

Vertical metal pump





• Ambient temperature:  $-20 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-4 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )



Picture: Installation of the GVSO in a solar power plant

### **Options**

- Temperature and vibration monitoring
- Local recording of additional operating parameters
- Flange processing in line with international standards
- Suction tube and / or suction strainer design
- Thermosyphon system
- Quench Systems
- Gas supply system
- Pump accessories

### Typical applications


- Petrochemicals
- Organic chemistry
- Inorganic acids and alkalis
- Surface treatment
- Steel production and processing
- Cooling systems
- Heating systems
- Solar power plants

### Technical data

	GVSO						
Size DN	40 to 450						
Q <sub>max</sub> m³/h (gpm)	4000 (17612)						
H <sub>max</sub> m (ft)	180 (591)						
Submersion depth <sub>max</sub> m (ft)	17,5 (57)						
Temperature °C (°F)	-40 to +600 (-40 to +1112)						
Standards	ISO 5199 (API 610 with deviations)						
Flange motor design	Standard						
Closed impeller	Standard						
Heatable	Option						
Foot bearing	Standard						
Magnetic coupling	GVSOM						
Seal	Stuffing box packing, Mechanical seal						

#### **Mechanical seal**

Single-acting or double-acting with external lubrication on request



### Main features

1

#### Robust bearing bracket with highquality roller bearings

The increased distance to the mounting flange reduces possible heat transfer from the medium. Therefore, even with high temperature applications, a more reliable grease lubrication is possible. Maintenance and replacement of the roller bearings can be carried out with the pump still installed.

2

#### **Application-related sealing options**


Non-wetted shaft seals on vertical pumps offer a high degree of safety against machine downtime and product emissions.


- Packing systems, open, locked, temperature controlled
- Mechanical seals, single or double acting, with liquid or gas supply systems
- Magnetic couplings, not in contact with product, free of eddy current and emissions

2

#### Reliable sleeve bearings

Decades of experience in the use of sleeve bearing materials allow the optimal choice of sleeve bearing for almost every application. Materials and design of the intermediate bearings and foot bearings are adapted to the properties of the pumped medium. Even the delivery of low-viscosity, low-lubricating media is no problem when using external bearing lubrication. This minimizes bearing wear and optimizes the service life of the machine. The modular design of the pipe tours with the high-quality shaft bearing allows submersion depths of up to 18 m.





4

#### Heatable design

The heating jackets of the pipe tour and outlet elbow ensure constant heating and thus constant viscosity even with temperature-critical media. The common heating jacket for shaft and pressure pipe ensures uniform temperature distribution without cold spots. The flow and return of the heating medium (steam or thermal oil) are connected to a common connection.

5

#### **Optimized vertical hydraulics**

The volute casings, which are specially designed for vertical use with outlet in axial direction, ensure an extremely compact installation dimension and allow very small installation openings. By using multi-stage hydraulics, even large pumping heads can be achieved with low flow rates. All GVSO Vertical Hydraulic Units are equipped with double volutes, which minimizes the radial forces in favour of a low sleeve bearing load. The connection of the shaft and pressure pipe to an assembly stiffens the construction and prevents bearing and transport damage.

# Avoid unplanned downtime

The pump is equipped with the i-ALERT®2 sensor as standard. This monitors vibrations and temperature. If preset limit values are exceeded, LEDs in the sensor light up. All measured values can be retrieved via an app or the Ai Platform. This means that necessary measures can be taken in good time before the pump fails.



# Pump & installation dimensions

Size	SZ	ВВ	Pump dimensions				Shaft end		Flange dimensions				
			e 1	e 2	f <sub>1</sub>	g	Н	ød	h1	N1	N2	ID <sub>min</sub>	
40/160		1	140	30	275	23	385	25	75	50	40	310 <sup>6)</sup>	
40/200	1	1	140	30	300	23	385	25	75	50	40	341	
40/250	1	1	150	50	300	23	385	25	75	65	40	395	
80/200	1	1	250	60	375	23	385	25	75	100	80	400	
40/250	II-V	2	150	50	300	23	485	38	95	65	40	395	
50/315	1-11	2	175	25	375	25	485	38	95	80	50	445	
80/250	1	2	250	25	400	25	485	38	95	100	80	4206)	
80/315	1-11	2	250	25	400	25	485	38	95	100	80	500	
100/250	1	2	325	58	475	25	485	38	95	125	100	505	
100/315	1	2	325	58	475	25	485	38	95	125	100	580	
125/315	1	2	250	58	450	25	485	38	95	150	125	600	
150/250	1	2	275	58	500	25	485	38	95	200	150	540	
50/315	III-V	3	175	25	375	35	580	48	135	80	50	445 <sup>6)</sup>	
100/315	-	3	325	58	475	35	580	48	135	125	100	580	
125/315	П	3	250	58	450	35	580	48	135	150	125	600	
150/315	1-11	3	275	58	500	35	580	48	135	200	150	695	
150/355	1	3	275	58	500	35	580	48	135	200	150	695	
150/400	1	3	275	58	500	35	580	48	135	200	150	700	
200/315	ı	3	350	25	625	35	580	48	135	250	200	770	
200/355	I	3	350	25	625	35	580	48	135	250	200	790	
250/315	ı	3	450	25	750	35	580	48	135	300	250	860	
150/400	II	4	275	58	500	35	680	68	185	200	150	700	
200/355	П	4	350	25	625	35	680	68	185	250	200	790	
250/355	I	4	450	25	750	35	680	68	185	250	250	890	
250/355	II	5	475	75	775	55	800	75	210	250	250	890	
300/400	I	5	550	200	900	55	800	75	210	350	300	1340	
400/500	I	5	700	250	1050	55	800	75	210	400	400	1600	
450/500	- 1	6	Dimensions on request										

All dimensions are shown in millimetres.

SZ = Number of stages (other multi-stage high pressure designs on request)


BB = Bearing bracket


e2 = Centre offset of sole plate/hydraulics

N1 = Suction flange (undrilled)

N2 = Pressure flange


 $ID_{min} = Different$  with heatable version







Submersion depth (TT): Maximum submersion depth 17,5 m (57 ft) Staging 0,1 m (0,33 ft)

## Capacity ranges







### **Metal materials**

The range of metallic materials encompasses a wide variety of different types of material which are distinguished mainly by their alloy composition, their structure and their manufacturing process. This wide variety of material options allows us to select the most appropriate material for each individual application.

#### 1.0619

High temperature ferritic cast steel, can be used up to 450 °C. For use with low or non-corrosive media, such as molten sulphur.

#### 1.7357

High temperature ferritic cast steel, can be used up to  $450\,^{\circ}$ C. The most frequent application is the pumping of molten salts.

#### 1.4136S

Corrosion and erosion resistant high alloy ferritic cast steel. Typical applications are highly concentrated sulphuric acid up to 180 °C, oleum, fertilizer production, crude phosphoric acid containing solids.

#### **RHSX**

Special high-alloyed material with excellent resistance to erosion-corrosion for pumps operating in the dryer-, intermediate- and end-absorber stage of sulphuric acid plants up to temperatures of 150 °C.

#### 1.4306S

A specially developed material for the pumping of ammonium nitrate melt, hot nitric acid at medium concentrations and also the vaporization of waste nitric acid.

#### 1.4408 / 1.4581

Austenitic chromium nickel molybdenum steels with good general corrosion resistance. These materials are

suitable for pumping almost all organic liquids, 50 % caustic soda up to 90 °C, KTL paint, pure phosphoric acid, dry chlorine, liquid sulphur, PTA and many other media.

#### 1.4517

Duplex (Semi-austenitic), molybdenum and copper alloyed material with a high resistance to pitting and stress corrosion. This material is one of the super duplex steels. It can be used with crude phosphoric acid, containing solids at up to 100 °C, hot sea water, many solutions containing chloride, FGD suspensions and sulphuric acid at all concentrations at low temperatures.

#### R 3020

Fully austenitic special stainless steel with a high of chrome and nickel content. High resistance to pitting, stress corrosion and intercrystalline corrosion. Suitable for 70% caustic soda up to 200°C, sulphuric acid at all concentrations at low and medium temperatures, sulphuric acid pickling solutions, in certain areas of the manufacture of phosphoric acid, for pumping solutions with a high chloride content and in spin baths.

#### 1.4529S

A fully austenitic cast material highly resistant to acidic media containing solids and rich in chlorides. Used in absorber and quench fluids of the FGD, acidic and chloride containing gypsum slurries, phophoric acid production, in vaporization and crystallization processes and for hot sea water.



## Typical application processes

#### Molten salt

- Heat resistant materials up to 600 °C media temperature
- Special roller bearing design for safe operation with grease lubrication
- Numerically developed vertical construction for submersion depths up to 18m at 550 °C.




#### **Sulphuric acid**

- A large range of materials allows a wide application at different temperatures and concentrations.
- Special designs for HoKo acids
- Wide range of slide bearings

#### **Fertilizer production**

- Flexible use in different process stages of fertilizer production
- High-quality materials for concentrated acids and alkalis
- Safe special constructions for ammonium nitrate solutions and melts
- Special vertical hydraulics for small installation dimensions even at high heads.





- An ITT Brand

ITT RHEINHÜTTE Pumpen GmbH Rheingaustraße 96-98 D-65203 Wiesbaden T +49 611 604-0 info@rheinhuette.de www.rheinhuette.de



3.09.0001/001-1221\_en\_xy B.GVSO.en-GB.2021-12